



Ultrasonic tumor aspiration: LEVICS – for precision specialists



Excellence in design: LEVICS Micro instrument

The resection of intracranial and spinal tumors requires an accurate proceeding to preserve the surrounding structures as much as possible. The neurosurgical LEVICS Micro instrument from Söring has been specially developed for this challenge and is therefore characterised by its excellent design. With its working frequency of 35 kHz, it fragments tumors of different consistencies precisely and effectively. Thanks to its integrated aspiration the tumor fragments are immediately removed. Additionally, the instrument impresses with its low weight which was reduced by ten percent compared to its predecessor device. This supports a safe working over long periods of surgery. Above all, the filigree and angled shape of the instrument body ensures an optimum view of the surgical field.

Surgical precision in a highly sensitive environment:

- 10% reduced instrument weight¹ supports long procedures
- angled instrument body allows optimum view of the surgical field
- efficient aspiration ensures a continuous workflow



Flexibility thanks to modularity

The LEVICS Micro instrument features three sonotrodes with different lengths and diameters to allow optimised treatment of a range of different lesions. These sonotrodes can be easily mounted and replaced at any time.



Click & Start: secure and fast sonotrode assembling

The LEVICS Micro instrument is ready for use in a minimum of time thanks to its special concept for sonotrode assembling. Using the intuitive torque wrench the sonotrode can be mounted rapidly and easily without any additional tools. A clearly audible click signals that the sonotrode and instrument body are securely connected.

Easy assembling:



1. Ensure the torque wrench is ready to use, ...




2. place the torque wrench onto the sonotrode ...



3. and turn. C L I C K! Finished! The sonotrode is securely fastened.

Each component has its place in the LEVICS instrument tray

The LEVICS instrument tray offers space for each individual product – from the instrument body with a separate instrument cable, to the sonotrodes and the torque wrench. This enables effective sterilisation and ensures the components are tidily arranged and ready at hand in the operating theatre.



At a glance: LEVICS product overview



Article no.	92-501
Length	170 mm
Weight	67 g
Angle	15°
Handle material	titanium
Irrigation & aspiration	yes
Scope of delivery	with separate cable
Reprocessing	150 cycles

LEVICS instrument tray	
Article no.	616S0100
Reprocessing	reprocessable
LEVICS torque wrench	Society
Article no.	616K0006
Reprocessing	150 cycles
Double tubing	
Article no.	700S0316
Reprocessing	single-use

LEVICS sonotrodes			
Article no.	616K0001	616K0002	616K0003
Working length	36 mm	98 mm	109 mm
External Ø Internal Ø	2.0 mm 1.4 mm	2.0 mm 1.4 mm	2.3 mm 1.7 mm
Reprocessing	5 cycles	5 cycles	5 cycles
Cover			
Article no.	612K0037	612K0038	612K0039
Reprocessing	single-use	single-use	single-use

The SONOCA 300 ultrasonic generator

The SONOCA 300 is characterised by its high reliability and ease of use. During start-up it performs an automatic self-test which indicates the user that all functions are available. When the LEVICS Micro instrument is connected to the ultrasonic generator, initial operating parameters are suggested. These settings comprise ultrasonic power as well as aspiration and irrigation. All values can be easily adjusted at any time to allow a prompt and controlled response if conditions change. Due to its multifunctional application, the SONOCA 300 is suitable for use in all specialities focused by Söring.

The advantages:

- offers an integrated irrigation and aspiration function
- provides a quick set-up with automatic self-test
- allows easy adaptation of operating parameters thanks to the intuitive user interface
- supports all Söring ultrasonic instruments

ASPIRATION	UL	TRASOUND	Söring	1
	i/////////////////////////////////////		 INFORMATION	
_	-			
	20 40	60 BO +		1
	-		OK ENNOR	
		SONOCA 300		
			© ′/	

Unique resection of deep-seated tumors: endoscopic Micro instrument ENP

When removing intra- and paraventricular lesions, a minimally invasive approach may be favoured over open surgery. By providing the "Endoscopic Neurosurgical Pen (ENP)", Söring offers the world's only endoscopic ultrasonic aspirator whose exceptionally long sonotrode is guided through the working channel of an endoscope (Model GAAB from KARL STORZ). This allows tumors to be simultaneously fragmented and aspirated through a narrow access path in a patient-friendly² procedure. Finally, this technique supports a reduction of surgery time and opens up new possibilities for minimally invasive tumor resection³.

Efficient tumor resection in and around the ventricle system

• long sonotrode allows minimally invasive surgery • also efficient in firmer tumor tissue^{2,3} • simultaneous fragmentation and aspiration allow shorter operating times 2,3 **Micro instrument ENP** Article no. 92-030 Working length 213.5 mm Weight 105 g External Ø | Internal Ø of the sonotrode 2.2 mm | 1.4 mm External Ø sonotrode guide tube 2.9 mm Handle material titanium Irrigation | Aspiration via endoscope | yes Reprocessing 150 cycles

Extended range of treatments in neuroendoscopy

"The endoscopic ultrasonic aspiration with the Micro instrument ENP is a safe and reliable technique for extensive decompression or complete removal of intra- and paraventricular lesions."

Prof. Giuseppe Cinalli, Head of the Department of Neurosciences and Head of the Division of Pediatric Neurosurgery, Santobono-Pausilipon Children's Hospital, Naples, Italy

² Ref: Ibáñez-Botella G, et al.: Purely neuroendoscopic resection of intraventricular tumors with an endoscopic ultrasonic aspirator, Neurosurg Rev 1-10, 2018

³ Ref: Cinalli G, et al.: Initial experience with endoscopic ultrasonic aspirator in purely neuroendoscopic removal of intraventricular tumors, J Neurosurg Pediatr 19:325–332, 2017

Trusted performance: over three decades of family-run business in ultrasonic surgery

Headquartered in Quickborn, Germany, Söring GmbH was founded in 1985 by Holger Söring, and has been manufacturing high-end products for ultrasonic surgery ever since. The family-owned company stands at the global cutting edge of ultrasonic technology with its numerous established applications for liver surgery, neurosurgery and spine surgery as well as for wound debridement. At Söring, everything is "Made in Germany": from development and production to distribution. The wide range of products is always optimised and expanded in close cooperation with leading surgeons to achieve maximal customer satisfaction. Following this understanding, the company offers a comprehensive maintenance and servicing programme.



operate in more than 90 countries worldwide.

→ Söring GmbH

Justus-von-Liebig-Ring 2 25451 Quickborn Germany Tel.: +49 4106-6100-0 Email: info@soering.com

Further information at: www.soering.com



Specifications, design and accessories of the shown products might have changed in the meantime. The products shown might not be available in your country. Please contact the local Söring partner for further information.

Your contact:

